


CERTIFICATE OF ANALYSIS No.: 2021-3989

CLIENT

Pharmahemp d.o.o. , Cesta v Gorice 8
1000 Ljubljana, Slovenija

SAMPLE













CBD DROPS 5% - hemp oil



Sample condition: SUITABLE
Sample ID: 211216
Sample type: Viscous liquid
Batch No.: DR05021081A

Work order: 2021-104937
Analysis ID: 2021_066
Method ID: PHL_RPC_12C
Method SOP: MET-002

Sample received: 22/03/2021
Start of analysis: 22/03/2021
End of analysis: 23/03/2021
Analyst: Janez Gerdenc

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	0.455	0.082	
CBDA - Cannabidiolic acid	2.05	0.10	
CBGA - Cannabigerolic acid	0.046	0.014	
CBG - Cannabigerol	0.078	0.023	
CBD - Cannabidiol	3.35	0.17	
THCV - Tetrahydrocannabivarin	0.075	0.016	
CBN - Cannabinol	< LOQ	n/a	
CBC - Cannabichromene	0.0428	0.0094	
THC - Δ-9-Tetrahydrocannabinol	0.064	0.014	
THCA - Δ-9-Tetrahydrocannabinolic acid	0.0413	0.0091	
8-THC - Δ-8-Tetrahydrocannabinol *	< LOQ	n/a	
CBL - Cannabicyclol *	< LOQ	n/a	

The results marked by * relate to non-accredited activity.

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

23/03/2021

Approved by:



mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar
Chief Technology Officer

End of Certificate